





## DEAR PARTNERS, CUSTOMERS AND WOOD ENTHUSIASTS,

For over 100 years, Moulinvest has been putting its expertise at the service of wood professionals. Our ambition is simple: to support you with reliable, sustainable solutions tailored to the challenges of your projects.

We are delighted to present our new catalogue, which reflects our commitment to responsible, efficient and traditional wood processing.

Throughout these pages, you will discover the breadth of our offering: carefully selected logs and timber, precision-processed products and solutions tailored to the requirements of professionals.

In a constantly changing world, we choose sustainable wood from responsibly managed forests that is valued locally. This catalogue embodies our desire to combine technical performance, natural aesthetics and respect for the environment.

We thank you for your trust and remain at your side to build the world of tomorrow together.



# Introducing Moulinvest Group

*A family business at the heart of the Auvergne forest*

For over a century, Moulinvest, chaired by Maurice Moulin, has been a leading industrial player in the French timber industry. Based in Dunières, in the Haute-Loire region, we innovate by integrating the entire value chain, from tree to home.



French manufacturing and quality



Local production




Ecological and sustainable aspect

With the strength of our team, their experience, and expertise, we offer our partners a wide range of products and high-value services within the framework of a sustainable and rational forestry management policy, primarily local

Replanting clear-cut areas to ensure natural regeneration




Cutting and shaping that respects the resource



Innovative impregnation and treatment for product durability



Optimised transport and local delivery




## From tree to home

Thanks to our industrial expertise and responsible forest management, we harvest around 300,000 m<sup>3</sup> of wood each year. Every log is used in its entirety, giving rise to a wide range of products:

Structural wood - Roofing wood - Framing wood - Formwork wood - Poles - Logs - Stakes - Outdoor fittings - Impregnation - Treatment - Planing - Drying

### Cogeneration

Electricity production using a biomass boiler (wood bark)



### Sustainable construction

Timber for framing - Construction wood - Frame cutting - Nail-laminated panels - Glued laminated timber - Laminated veneer lumber - CLT (Cross Laminated Timber)

### Pellets

Production of wood pellets from sawdust and chips for heating of communities and individual



## THE WOOD TRAIL

# SUMMARY

THE FOREST	7
CONSTRUCTION TIMBER	8
OUTDOOR FACILITIES	26
PELLETS	68
TECHNICAL NOTEBOOK	72

## The forest, our commitment

*Managing today's forests, preparing  
for tomorrow*

Our forests in Auvergne and Rhône-Alpes are renowned for the structural and aesthetic quality of their wood. Located between 600 and 1,500 metres above sea level, these forests benefit from a harsh climate that helps to produce high-quality wood, ideal for cladding, framing and carpentry.

### *Our commitment in the field*

For several years, our forestry technicians have been assisting private owners in the management and maintenance of their forests. This collaboration helps to enhance the value of forest heritage, while ensuring productive forests and high-quality wood for today and tomorrow.

We ensure a local and responsible supply, mainly from the Livradois, Meygal, Mézenc, Margeride, Pilat, Roannais, Haut Forez, Beaujolais and Vercors mountain ranges.



### *Your forests in good hands*

Are you a forest owner?  
Our forestry technicians are at your disposal to advise you on the management of your forests or to consider a purchase offer if you wish to sell your wood.

**Forest purchasing department :**  
**+33 (0)4 71 61 70 07**  
**[achat\\_foret@moulinvest.com](mailto:achat_foret@moulinvest.com)**



# Moulin

## scierie



**110 years**

EXPERIENCE

**2 ACTIVITIES**

FORESTRY  
EXPLOITATION  
SAWING

**400 000 m<sup>3</sup>**

OF WOOD PROCESSED

**100**

EMPLOYEES

**15**

HECTARES

STRUCTURAL  
TIMBER

FRAMING  
TIMBER

FORMWORK  
TIMBER

CLADDING

DECKING

PLANNED TIMBER  
& UNPLANNED  
TIMBER

FENCING

CARPORTS &  
ROADWAYS

PALISADE  
FENCING

PELLETS

TECHNICAL  
SPECIFICATIONS





# Structural timber

Spruce fir frame	12 - 14
Douglas fir frame	15 - 17






# Fir - spruce

## CALIBRATED JOISTS

Grade 2 quality raw timber, freshly sawn, split, and sourced from French forests.

lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m






Essence	Section	Packing
 Fir - Spruce	15x150 mm	252
 Fir - Spruce	18x150 mm	189
 Fir - Spruce	18x200 mm	135



## BATTENS

Grade 2 quality raw timber, freshly sawn, split, and sourced from French forests.

lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m

Essence	Section	Packing	No. of pieces/boots
 Fir - Spruce	18x48 mm	768	12
 Fir - Spruce	20x38 mm	1050	15
 Fir - Spruce	27x27 mm	1008	18
 Fir - Spruce	27x38 mm	720	12
 Fir - Spruce	38x38 mm	448	8

## CALIBRATED SLATS

C18 grade raw timber, freshly sawn, sourced from French forests

lengths produced : 3 m | 4 m | 5 m



Essence	Section	Packing	No. of pieces/boots
 Fir - Spruce	40x60 mm	300	6

## FARM CLADDING

TREATED CLASS 3 AUTOCLAVE

Grade 2 quality raw timber, freshly sawn, split, and sourced from French forests.

lengths produced : 3 m | 4 m | 5 m

Essence	Section	Packing
 Fir - Spruce	18x150 mm	189
 Fir - Spruce	18x175 mm	162




## CALIBRATED BATTENS

CLADDING SUPPORT TREATED - CLASS 3 AUTOCLAVE

Grade 2 quality raw timber, freshly sawn, split, and sourced from French forests.

lengths produced : 3 m | 4 m | 5 m

Essence	Section	Packing
 Fir - Spruce	27x45 mm	384








OPTIONS



## CALIBRATED BOARDS

C18 grade raw timber, freshly sawn, sourced from French forests

lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m





Essence	Section	Packing
 Fir - Spruce	27x75 mm	308
 Fir - Spruce	27x100 mm	220
 Fir - Spruce	27x150 mm	154
 Fir - Spruce	27x175 mm	132
 Fir - Spruce	27x200 mm	110
 Fir - Spruce	27x250 mm	88
 Fir - Spruce	27x300 mm	88








## JOISTS

C18 grade raw timber, freshly sawn, sourced from French forests

lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m | 5,5 m

Essence	Section	Packing
 Fir - Spruce	32x100 mm	150
 Fir - Spruce	32x150 mm	105
 Fir - Spruce	32x175 mm	108
 Fir - Spruce	32x200 mm	90

lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m | 5,5 m | 6 m










Essence	Section	Packing
 Fir - Spruce	38x100 mm	140
 Fir - Spruce	38x150 mm	98
 Fir - Spruce	38x175 mm	84
 Fir - Spruce	38x200 mm	70
 Fir - Spruce	38x225 mm	70

## RAFTERS

C18 grade raw timber, freshly sawn, sourced from French forests

also available in half parcels - please contact us

lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m | 5,5 m | 6 m

Essence	Section	Packing
 Fir - Spruce	50x75 mm	168
 Fir - Spruce	50x100 mm	120
 Fir - Spruce	60x80 mm	130
 Fir - Spruce	63x75 mm	140
 Fir - Spruce	63x100 mm	100
 Fir - Spruce	75x75 mm	112
 Fir - Spruce	75x100 mm	80
 Fir - Spruce	75x110 mm	80
 Fir - Spruce	100x100 mm	60



OPTIONS










BASTAINGS

C18 grade raw timber, freshly sawn, sourced from French forests

also available in half parcels - please contact us

lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m | 5,5 m | 6 m | 6,5 m | 7m | 7,5 m | 8 m

Essence	Section	Packing
 Fir - Spruce	50x150 mm	84
 Fir - Spruce	50x200 mm	60
 Fir - Spruce	63x150 mm	70
 Fir - Spruce	63x175 mm	60
 Fir - Spruce	63x200 mm	50








BEAMS

C18 grade raw timber, freshly sawn, sourced from French forests

also available in half parcels - please contact us

lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m | 5,5 m | 6 m | 6,5 m | 7m | 7,5 m | 8 m














Essence	Section	Packing
 Fir - Spruce	75x150 mm	56
 Fir - Spruce	75x175 mm	48
 Fir - Spruce	75x200 mm	40
 Fir - Spruce	75x225 mm	40
 Fir - Spruce	75x250 mm	32


PIECES

C18 grade raw timber, freshly sawn, sourced from French forests


also available in half parcels - please contact us


lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m | 5,5 m | 6 m | 6,5 m | 7m | 7,5 m | 8 m


Essence	Section	Packing
 Fir - Spruce	75x300 mm	30
 Fir - Spruce	100x200 mm	30
 Fir - Spruce	100x225 mm	30
 Fir - Spruce	100x250 mm	24
 Fir - Spruce	100x300 mm	24
 Fir - Spruce	120x120 mm	45
 Fir - Spruce	120x240 mm	20
 Fir - Spruce	150x150 mm	28
 Fir - Spruce	150x200 mm	20
 Fir - Spruce	150x250 mm	16
 Fir - Spruce	200x200 mm	15
 Fir - Spruce	250x250 mm	8
 Fir - Spruce	300x300 mm	8





OPTIONS


 CLASS 2 COLOURLESS

 CLASS 2 YELLOW

 CLASS 3 GREEN

 CLASS 3 BROWN

 ANTI-BLUE TREATMENT

 NIMP 15



Douglas

(with partial presence of sapwood)

CALIBRATED SLATS

Grade 2 quality raw timber, freshly sawn, split, and sourced from French forests.


lengths produced : 3 m | 4 m

Essence	Section	Packing
 Douglas fir	18x150 mm	189
 Douglas fir	18x200 mm	135

CALIBRATED JOISTS

Grade 2 quality raw timber, freshly sawn, split, and sourced from French forests.

lengths produced : 3 m | 4 m

Essence	Section	Packing	No. of pieces/boots
 Douglas fir	60x40 mm	300	6

OPTIONS

 CLASS 2 COLOURLESS

 CLASS 2 YELLOW

 CLASS 3 GREEN

 CLASS 3 BROWN

 ANTI-BLUE TREATMENT

 NIMP 15






# Douglas

(with partial presence of sapwood)

## CALIBRATED BOARDS

C18 grade raw timber, freshly sawn, sourced from French forests

lengths produced : 3 m | 4 m








Essence	Section	Packing
 Douglas fir	27x100 mm	220
 Douglas fir	27x150 mm	154
 Douglas fir	27x200 mm	110



## RAFTERS

C18 grade raw timber, freshly sawn, sourced from French forests

lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m | 5,5 m | 6 m






Essence	Section	Packing
 Douglas fir	50x75 mm	168
 Douglas fir	50x100 mm	120
 Douglas fir	63x75 mm	100
 Douglas fir	63x100 mm	140
 Douglas fir	75x75 mm	112
 Douglas fir	75x100 mm	80
 Douglas fir	100x100 mm	60



## JOISTS

C18 grade raw timber, freshly sawn, sourced from French forests





lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m | 5,5 m | 6 m

Essence	Section	Packing
 Douglas fir	38x100 mm	140
 Douglas fir	38x150 mm	98
 Douglas fir	38x175 mm	84
 Douglas fir	38x200 mm	70
 Douglas fir	38x225 mm	70

# BASTAINGS

C18 grade raw timber, freshly sawn, sourced from French forests

lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m | 5,5 m | 6 m | 6,5 m | 7m | 7,5 m | 8 m






Essence	Section	Packing
 Douglas fir	50x150 mm	84
 Douglas fir	63x150 mm	60
 Douglas fir	63x175 mm	60
 Douglas fir	63x200 mm	50



## BEAMS

C18 grade raw timber, freshly sawn, sourced from French forests














lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m | 5,5 m | 6 m | 6,5 m | 7m | 7,5 m | 8 m

Essence	Section	Packing
 Douglas fir	75x150 mm	56
 Douglas fir	75x175 mm	48
 Douglas fir	75x200 mm	40
 Douglas fir	75x225 mm	40
 Douglas fir	75x250 mm	32

## PIECES

C18 grade raw timber, freshly sawn, sourced from French forests

lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m | 5,5 m | 6 m | 6,5 m | 7m | 7,5 m | 8 m

Essence	Section	Packing
 Douglas fir	75x300 mm	32
 Douglas fir	100x100 mm	30
 Douglas fir	100x225 mm	30
 Douglas fir	100x250 mm	24
 Douglas fir	100x300 mm	24
 Douglas fir	120x120 mm	45
 Douglas fir	120x240 mm	20
 Douglas fir	150x150 mm	28
 Douglas fir	150x200 mm	20
 Douglas fir	150x250 mm	16
 Douglas fir	200x200 mm	15
 Douglas fir	250x250 mm	8
 Douglas fir	300x300 mm	8







### DELIVERY TIP


Did you know that you can combine your DECOVERT and SM products on the same lorry?


One lorry, 13 m of floor space / 25 tonnes


OPTIONS


  
CLASS 2 COLOURLESS

  
CLASS 2 YELLOW


  
CLASS 3 GREEN


  
CLASS 3 BROWN


  
ANTI-BLUE TREATMENT


  
NIMP 15


OPTIONS


  
CLASS 2 COLOURLESS

  
CLASS 2 YELLOW

  
CLASS 3 GREEN

  
CLASS 3 BROWN

  
ANTI-BLUE TREATMENT

  
NIMP 15





18 -

19 -

## KD planed wood

Fir - spruce

20

Douglas

21




## Fir - Spruce

### FRAME - C24 / S4S

Moisture content below 20%. Sections compliant with European standards and CE certification.








lengths produced : 3 m | 4 m

Essence	Profile	Section	Packing
 Fir - Spruce	SLITTING 4 SHARP EDGES	22x45 mm	672

lengths offered : 3 m | 4 m | 5,1 m

 Fir - Spruce	PLANED 4 SIDES 4 ROUNDED CORNERS	45x70 mm	256
--	----------------------------------	----------	-----

lengths produced : 3 m | 4 m | 5,1 m | 5,5 m | 6 m


Essence	Profile	Section	Packing
 Fir - Spruce	PLANED 4 SIDES 4 ROUNDED CORNERS	45x95 mm	168
 Fir - Spruce		45x120 mm	126
 Fir - Spruce		45x145 mm	112
 Fir - Spruce		45x160 mm	98
 Fir - Spruce		45x180 mm	84
 Fir - Spruce		45x200 mm	70
 Fir - Spruce		45x220 mm	70










### DRY SOLID WOOD PLANED - C24

Moisture content below 20%. Sections compliant with European standards and CE certification.

lengths produced : 3 m | 4 m

Essence	Profile	Section	Packing
 Fir - Spruce	SLITTING 4 SHARP EDGES	60x40 mm	168

lengths produced : 3 m | 4 m | 5 m | 6 m

Essence	Profile	Section	Packing
 Fir - Spruce	PLANED 4 SIDES 4 ROUNDED CORNERS	60x80 mm	70
 Fir - Spruce		60x180 mm	30
 Fir - Spruce		80x100 mm	44
 Fir - Spruce		80x160 mm	28
 Fir - Spruce		80x200 mm	20
 Fir - Spruce		80x220 mm	20
 Fir - Spruce		100x220 mm	15


Out of heart / Covered parcel / Half parcel / CL2 colourless treatment included



### HALF-LAPPED BOARD

French timber, moisture content below 20%, planed on both sides, not grooved at the ends

lengths produced : 3 m | 4 m

Essence	Profile	Section	Packing
 Fir - Spruce	MI-BOIS	18x176 mm	144



#### OPTIONS



CLASS 2 COLOURLESS



CLASS 2 YELLOW



CLASS 3 GREEN



CLASS 3 BROWN



ANTI-BLUE TREATMENT



NIMP 15


## Douglas

(with partial presence of sapwood)

### HALF-LAPPED BOARD

French wood, moisture content below 20%, planed on both sides, not grooved at the ends

lengths produced : 3 m | 4 m



Essence	Profile	Section	Packing
 Douglas fir	MI-BOIS	18x176 mm	144



### SOLID DRY PLANED POSTS

French timber, dried to a moisture content of less than 20%, 4 sides planed and 4 corners rounded, no end grooves.


lengths produced : 3 m | 4 m | 5 m

Essence	Section	Packing
 Douglas fir	90x90 mm	48
 Douglas fir	140x140 mm	25

### FRAME - C24 / S4S

Moisture content below 20%. Sections compliant with European standards and CE certification.








lengths produced : 3 m | 4 m

Essence	Profile	Section	Packing
 Douglas fir	SLITTING 4 SHARP EDGES	22x45 mm	672

lengths produced : 3 m | 4 m | 5,1 m

 Douglas fir	PLANED 4 SIDES 4 ROUNDED CORNERS	45x70 mm	256
---	----------------------------------	----------	-----

lengths produced : 3 m | 4 m | 5,1 m | 5,5 m | 6 m

Essence	Profile	Section	Packing
 Douglas fir	PLANED 4 SIDES 4 ROUNDED CORNERS	45x95 mm	168
 Douglas fir		45x120 mm	126
 Douglas fir		45x145 mm	112
 Douglas fir		45x160 mm	98
 Douglas fir		45x180 mm	84
 Douglas fir		45x200 mm	70
 Douglas fir		45x220 mm	70

#### OPTIONS



CLASS 2 COLOURLESS



CLASS 2 YELLOW



CLASS 3 GREEN



CLASS 3 BROWN



ANTI-BLUE TREATMENT



NIMP 15



# Formwork timber

Slats / Joists / Boards / Red Boards **24**

Rafters / Beams / Bastaings / Pieces **25**






Fir tree - spruce / Douglas fir

Depending on lengths available to order

SLATS

Select raw timber 3, sawing costs, sourced from French forests

lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m

Essence	Section	Packing
 Fir - Spruce / Douglas fir	17x75 mm	560
 Fir - Spruce / Douglas fir	17x95 mm	440
 Fir - Spruce / Douglas fir	17x150 mm	231




BOARDS

Select raw timber 3, sawing costs, sourced from French forests

lengths produced : 3 m | 4 m

Essence	Section	Packing
 Fir - Spruce / Douglas fir	27x75 mm	308

lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m


Essence	Section	Packing
 Fir - Spruce / Douglas fir	27x100 mm	220
 Fir - Spruce / Douglas fir	27x150 mm	154
 Fir - Spruce / Douglas fir	27x200 mm	110









RED BOARDS

Select raw timber 3, sawing costs, sourced from French forests

lengths produced : 3 m | 4 m

Essence	Section	Packing
 Fir - Spruce / Douglas fir	32x150 mm	105

OPTIONS






CLASS 2 COLOURLESSCLASS 2 YELLOWCLASS 3 GREENCLASS 3 BROWNANTI-BLUE TREATMENTNIMP 15



JOISTS

Select raw timber 3, sawing costs, sourced from French forests

lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m








Essence	Section	Packing
 Fir - Spruce / Douglas fir	38x100 mm	140
 Fir - Spruce / Douglas fir	38x150 mm	98
 Fir - Spruce / Douglas fir	38x200 mm	70



RAFTERS

Select raw timber 3, sawing costs, sourced from French forests

lengths produced: 3 m | 3,6 m | 4 m | 4,5 m | 5 m




Essence	Section	Packing
 Fir - Spruce / Douglas fir	50x75 mm	168
 Fir - Spruce / Douglas fir	50x100 mm	120
 Fir - Spruce / Douglas fir	63x75 mm	140
 Fir - Spruce / Douglas fir	63x100 mm	xx
 Fir - Spruce / Douglas fir	75x75 mm	112
 Fir - Spruce / Douglas fir	75x100 mm	80
 Fir - Spruce / Douglas fir	100x100 mm	60



BEAMS

Select raw timber 3, sawing costs, sourced from French forests

lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m

Essence	Section	Packing
 Fir - Spruce / Douglas fir	75x150 mm	56
 Fir - Spruce / Douglas fir	75x200 mm	40
 Fir - Spruce / Douglas fir	75x225 mm	40



OPTIONS







CLASS 2 COLOURLESSCLASS 2 YELLOWCLASS 3 GREENCLASS 3 BROWNANTI-BLUE TREATMENTNIMP 15

BASTAINGS

Select raw timber 3, sawing costs, sourced from French forests

lengths produced : 3 m | 3,6 m | 4 m | 4,5 m | 5 m





Essence	Section	Packing
 Fir - Spruce / Douglas fir	50x150 mm	70
 Fir - Spruce / Douglas fir	63x150 mm	60
 Fir - Spruce / Douglas fir	63x175 mm	60
 Fir - Spruce / Douglas fir	63x200 mm	84



PIÉCES

C18 raw timber, sawing costs, sourced from French forests

lengths produced : 4 m

Essence	Section	Packing
 Fir - Spruce / Douglas fir	40x200 mm	70
 Fir - Spruce / Douglas fir	40x250 mm	56
 Fir - Spruce / Douglas fir	50x200 mm	60
 Fir - Spruce / Douglas fir	50x250 mm	48



# décover<sup>®</sup>

AMÉNAGEMENTS EXTÉRIEURS EN BOIS

**100 YEARS**  
EXPERIENCE

**2 ACTIVITES**  
LINE POLES FITTINGS  
EXTERIOR

**100 000 m<sup>3</sup>**  
OF PROCESSED WOOD

**50**  
EMPLOYEES

**15**  
HECTARES

CLADDING

DECKING

PLANED TIMBER  
& UNPLANED  
TIMBER

FENCING

CARPORTS &  
ROADWAYSPALISADE  
FENCING

PELLETS

TECHNICAL  
SPECIFICATIONS






## Cladding

Pilat - Roannais	30
Margeride - Tasseaux	31
Meygal	32
Mezenc	33





Water-repellent milk



DTU 41.2

French timber, sawn,  
dried, planed and  
treated in France

## CLADDING PILAT

### PROFILE : SHIPLAP

Blade planed on 4 sides, grooved at the end.


*Please contact us for available lengths.*

Essence	Treatment	Section	Packing	No. of pieces/boots
Spruce	- class 3	22x130 mm	168	6
Douglas fir	- class 3	22x130 mm	168	6
Douglas fir	-untreated	22x130 mm	168	6
Pine	- class 4	22x130 mm	168	6

To preserve the appearance of your cladding, we recommend applying a water-repellent coating.

### + PRODUCT

Destructured finish - **please contact us**



## CLADDING MARGERIDE



### PROFILE : BLADES FOR BOXES / PALISADES

4 sided planed board with tongue-and-groove profile

*Please contact us for available lengths.*

Essence	Treatment	Section	Packing
Spruce	- class 3	44x130 mm	56
Douglas fir	- class 3	44x130 mm	56
Douglas fir	-untreated	44x130 mm	56
Pine	- class 4	44x130 mm	56

To preserve the appearance of your cladding, we recommend applying a water-repellent coating.



Water-repellent milk



DTU 41.2

French timber, sawn,  
dried, planed and  
treated in France

## CLEATS



### PROFILE : CLEATS

45x45 planed batten for cladding

*Please contact us for available lengths.*

Essence	Treatment	Section	Packing	No. of pieces/boots
Spruce	- class 3	45x45mm	192	8
Douglas fir	- class 3	45x45mm	192	8
Douglas fir	-untreated	45x45mm	192	8
Pine	- class 4	45x45mm	192	8

To preserve the appearance of your cladding, we recommend applying a water-repellent coating.

























CLADDING MEYGAL

PROFILE : FALSE OPEN-JOINT

4 sides planed slat.

End-grooved cladding (26/130)


Please contact us for available lengths.

Essence	Treatment	Section	Packing	No. of pieces/boots
 Spruce	  - class 4	26x130 mm	112	4
 Spruce	  - class 4	43x126 mm	56	1
 Douglas fir	  - class 3	26x130 mm	112	4
 Douglas fir	 - untreated	26x130 mm	112	4
 Douglas fir	  - class 3	43x126 mm	56	1
 Douglas fir	 - untreated	43x126 mm	56	1
Pine	  - class 4	26x130 mm	112	4
Pine	  - class 4	43x126 mm	56	1

To preserve the appearance of your cladding, we recommend applying a water-repellent coating.

+PRODUCT

Destructured finish - please contact us





**DELIVERY TIP**

Did you know that you can combine your DECOVERT and SM products on the same lorry?

One lorry, 13 m of floor space / 25 tonnes



Water-repellent milk



DTU 41.2



French timber, sawn, dried, planed and treated in France



Water-repellent milk



DTU 41.2























French timber, sawn, dried, planed and treated in France

CLADDING MEZENC

PROFILE : BEVELLED BOARDS

4 sides planed slat.


Please contact us for available lengths.

Essence	Treatment	Section	Packing
 Spruce	  - class 4	22x68 mm	660
 Spruce	  - class 4	27x68 mm	420
 Douglas fir	  - class 3	22x68 mm	660
 Douglas fir	 - untreated	22x68 mm	660
 Douglas fir	  - class 3	27x68 mm	420
 Douglas fir	 - untreated	27x68 mm	420
Pine	  - class 4	22x68 mm	660
Pine	  - class 4	27x68 mm	420

To preserve the appearance of your cladding, we recommend applying a water-repellent coating.

+PRODUCT

Destructured finish - please contact us









## Decks

Scandinavian pine	36
Scandinavian pine US	38
Douglas fir	39






Water-repellent  
milk



DTU 51.4  
File DOP



Planed and treated



# SCANDINAVIAN PINE DECKING

Planed slat with 1 smooth side.



Please contact us for available lengths.

Essence	Profiles	Treatment	Section	Packing	No. of pieces/boots
Scandinavian pine	Smooth	● - class 4	22x145 mm	140	5
Scandinavian pine	Destructured	● - class 4	27x145 mm	112	4
Scandinavian pine	Smooth	● - class 4	27x145 mm	112	4
Scandinavian pine	2 combs	● - class 4	27x145 mm	112	4
Scandinavian pine	Bias	● - class 4	27x145 mm	112	4
Scandinavian pine	Curved	● - class 4	27x145 mm	112	4
Scandinavian pine	2 combs	● - classe 4	34x145 mm	70	1
Scandinavian pine	Smooth	● - class 4	34x145 mm	70	1



For the installation of your terraces, refer to DTU NF 51.4 and NF B54-054.





1 unstructured side





2 smooth sides



1 curved side



1 side 2 combs



Biaise



**DELIVERY TIP**  
Did you know that you can combine your DECOVERT and SM products on the same lorry?  
One lorry, 13 m of floor space / 25 tonnes





# SCANDINAVIAN PINE US DECKING

Planed slat with 1 smooth side

Please contact us for available lengths.

Essence	Profiles	Traitement	Section	Packing	No. of pieces/boots
Pine US	Destructured	● - class 4	27x145 mm	112	4
Pine US	Smooth	● - class 4	27x145 mm	112	4
Pine US	2 curved	● - class 4	27x145 mm	112	4
Pine US	Bias	● - class 4	27x145 mm	112	4
Pine US	Curved	● - class 4	27x145 mm	112	4

For the installation of your terraces, refer to DTU NF 51.4 and NF B54-054.



# DOUGLAS FIR DECKING


NATURAL RANGE - UNTREATED

Planed slat with 1 smooth side.

Please contact us for available lengths.

Essence	Profiles	Treatment	Section	Packing	No. of pieces/boots
Douglas fir	Destructured	● - untreated	27x145 mm	112	4
Douglas fir	Smooth	● - untreated	27x145 mm	112	4
Douglas fir	2 combs	● - untreated	27x145 mm	112	4
Douglas fir	Bias	● - untreated	27x145 mm	112	4
Douglas fir	Curved	● - untreated	27x145 mm	112	4

This terrace can be treated with class 3 green or brown Douglas fir - consult us



## INSTALLATION TIPS

The design of the deck, including its structure and fixing, will depend on the cross-section and type of deck board chosen, as well as the existing substrate. It is important to comply with DTU 51.4.

**DECKS THICKNESS**

22 mm  
27 mm  
34 mm

**DISTANCE BETWEEN JOISTS**

40 - 50 cm  
50 - 60 cm  
70 - 80 cm

To preserve the appearance of your terraces, cladding, etc., we recommend water-repellent milks, so don't hesitate to ask:



GUIDE  
TO THE DESIGN AND  
CONSTRUCTION OF  
WOODEN DECKING





## Planed wood & rough wood

Planed timber	42
Square posts - Laminated	43
Sleepers	44 - 45



PLANED WOOD

4 sides planed wood 4 rounded edges


lengths offered : 3 m à 5,40 m  
Please contact us for available lengths.

Essence	Treatment	Section	Packing
Pine	●● - class 4	45x95 mm	88
Pine	●● - class 4	45x120 mm	64
Pine	●● - class 4	45x145 mm	56
Pine	●● - class 4	45x195 mm	40
Pine	●● - class 4	45x220 mm	40

Essence	Treatment	Section	Packing
Pine	●● - class 4	58x170 mm	36

Essence	Treatment	Section	Packing
Pine	●● - class 4	70x95 mm	55
Pine	●● - class 4	70x120 mm	45
Pine	●● - class 4	70x145 mm	35
Pine	●● - class 4	70x195 mm	25
Pine	●● - class 4	70x220 mm	25

Essence	Treatment	Section	Packing
Pine	●● - class 4	95x195 mm	20




LAMBOURDES

Bois raboté 4 faces 4 arrondis

Please contact us for available lengths.

Essence	Treatment	Section	Packing	No. of pieces/boots
Pine	●● - class 4	45x70 mm	140	6




SQUARE POSTS

Planed wood 4 sides 4 rounded edges

Please contact us for available lengths.

Essence	Treatment	Section	Packing	No. of pieces/boots
Pine	●● - class 4	45x45 mm	192	8
Pine	●● - class 4	70x70 mm	75	1
Pine	●● - class 4	90x90 mm	48	1
Pine	●● - class 4	120x120 mm	36	1
Pine	●● - class 4	140x140 mm	24	1



LAMINATED POSTS

Planed laminated timber posts with rounded edges

lengths produced : 2,5 m | 3 m | 5 m | 6 m

Essence	Treatment	Section	Packing
Pine	●● - treated	140x140 mm	24
Pine	●● - treated	120x120 mm	54
Pine	●● - treated	190x190 mm	10



NEW



## OAK SLEEPERS

Rough sawn crossbeam, landscape quality



Minimun 3 sharp edges

Essence	Treatment	Section	Length	Packing
Oka	 - treated	100x200 mm	2,60 m	35
Oka	 - untreated	100x200 mm	2,60 m	35



## PINE SLEEPERS

Planed rough sawn crossbeam 4 sharp edges

Essence	Treatment	Section	Length	Packing
Pine	 - class 4	100x200 mm	2,00 m	40
Pine	 - class 4	100x200 mm	2,50 m	40



For specific uses such as sail retention or embankments, we recommend a superior treatment (class 4SP) for an expected service life of 15 years (please consult us).




# Fences

Logs & half-logs	48
Posts	49
Logs for fencing	50
Boards for palisades	52 - 54
Murmur' panels	55



# HALF LOGS AND LOGS

Milled half-rounds and rounds chamfered at both ends (except diameters 16, 18 and 20)



Drilling on request



Machining on request



Drying and treatment



Diameter \ Length	8 cm		10 cm		12 cm		14 cm		16 cm		18 cm		20 cm	
	Half logs	Logs	Half logs	Logs	Half logs	Logs	Half logs	Logs	Half logs	Logs	Half logs	Logs	Half logs	Logs
1,50 m		●●		●●		●●		●●		●●		●●		●●
2,00 m	●●	●●	●●	●●	●●	●●		●●		●●		●●		●●
2,50 m	●●	●●	●●	●●	●●	●●		●●		●●		●●		●●
3,00 m	●●	●●	●●	●●	●●	●●		●●		●●		●●		●●
4,00 m			●●	●●	●●	●●		●●		●●		●●		●●
Packing	144	72	90	45	64	32		24		18		18		10




For specific uses such as sail retention or embankments, we recommend a superior treatment (class 4SP) for an expected service life of 15 years (please consult us).

●● - class 4



# STAKES AND 2 FLAT SPOTS LOGS



Drilling on request



Machining on request



Drying and treatment



Diameter \ Length	6 cm		8 cm		10 cm		12 cm		14 cm	
	Milled stakes	Round 2 flats	Milled stakes	Round 2 flats	Milled stakes	Round 2 flats	Milled stakes	Round 2 flats	Milled stakes	Round 2 flats
1,50 m	●●		●●		●●		●●		●●	
2,00 m	●●		●●		●●		●●	●●	●●	●●
2,50 m	●●		●●		●●		●●	●●	●●	●●
3,00 m			●●		●●		●●	●●		●●
4,00 m							●●			●●
Packing	112		72		45		32	32	24	24



For specific uses such as sail retention or embankments, we recommend a superior treatment (class 4SP) for an expected service life of 15 years (please consult us).

●● - class 4










# SLAT MÉZENC

Kit fencing elements


Essence	Profiles	Treatment	Section	Length	Packing	No. of pieces/boots
Pine	Claire voie	● - class 4	22x120 mm	1,79 m	180	5
Pine	Claire voie	● - class 4	22x120 mm	3,60 m	180	5



# SLAT VIVARAIS

Kit fencing elements

Essence	Profils	Treatment	Section	Length	Packing	No. of pieces/boots
Pine	Tongue and groove	● - class 4	22x90 mm	1,79 m	220	5
Pine	Tongue and groove	● - class 4	22x90 mm	3,60 m	220	5



## Couvertine

Kit fencing elements

Essence	Treatment	Section	Length	Grooving	Packing
Pine	● - class 4	45x90 mm	1,84 m	23	46
Pine	● - class 4	45x90 mm	1,84 m	30	46

Cover with 1 groove

## Half post

Kit fencing elements

Essence	Treatment	Section	Length	Grooving	Packing
Pine	● - class 4	45x90 mm	2,10 m	23	48
Pine	● - class 4	45x90 mm	2,10m	30	48

Half post with 1 groove of 23 mm or 30 mm

## Squared post

Kit fencing elements

Essence	Treatment	Section	Length	Packing
Pine	● - class 4	90x90 mm	2,40 m	48

Extra charge for diamond tip or stainless steel caps - please contact us

## Stiffener

Kit fencing elements

Essence	Treatment	Section	Length	Packing
Pine	● - class 4	19x65 mm	2,10 m	300






## SLAT VIVARAIS

Kit fencing elements

Essence	Profiles	Treatment	Section	Length	Packing	No. of pieces/boots
Pine	Tongue and groove	● - class 4	28x135 mm	1,79 m	112	5
Pine	Tongue and groove	● - class 4	28x135 mm	3,60 m	112	5
Pine	Tongue and groove	● - class 4	28x140 mm	2,00 m	112	4
Pine	Tongue and groove	● - class 4	34x135 mm	1,92 m	112	4



## SLAT TEMPO

Kit fencing elements

Essence	Profiles	Treatment	Section	Length	Packing	No. of pieces/boots
Pine	Tongue and groove	● - class 4	27x130 mm	1,79 m	21	5
Pine	Tongue and groove	● - class 4	27x130 mm	3,60 m	21	4
Pine	Tongue and groove	● - class 4	33x130 mm	1,79 m	21	5
Pine	Tongue and groove	● - class 4	33x130 mm	3,60 m	21	4

Non-grooved end - for installation with aluminium or concrete posts (not supplied) or wooden posts. This board can be made in class 4 pine - please contact us for further information.




## SLAT TOTEM

Kit fencing elements

Essence	Profile	Treatment	Section	Length	Packing
Fir tree	Tongue and groove	● - classe 3	44x105 mm	2,00 m	120

Non-grooved end - for installation with aluminium, concrete or wooden posts (not supplied)



## Panel MURMUR'

Pre-assembled panel, centre distance 2.00, in treated pine including base plate, cover plate and aluminium joint

Essence	Treatment	Height
Pine	● - class 4	0,60 m
Pine	● - class 4	1,20 m
Pine	● - class 4	1,80 m

Sound-absorbing panels - panels supplied in stackable 60 cm modules - 3 possible heights



## End post

End post including aluminium plate and junction.

Essence	Treatment	Height
Pine	● - class 4	0,60 m
Pine	● - class 4	1,20 m
Pine	● - class 4	1,80 m







## Carport & roadworks

Carport	58 - 59
Retroreflective bollard	60
Staggered barrier	61
Barriers of the Alpes	62 - 63





## CARPORTS ASYMMETRICAL DOUBLE-SLOPED ROOF

Essence	Treatment	Type of roof	Width	Length	Height	M <sup>2</sup>
Fir tree	● - class 3	Double slope	6700 m	5400 m	2680 m	19 m <sup>2</sup>

Option to manufacture the carport in untreated Douglas fir class 3, green or brown – please contact us. Side cladding available as an option with wood panelling (see page 29).  
**Not included:** roofing, zinc work, masonry, battens, ground fixings.



## CARPORTS FOUR SIDES

Essence	Treatment	Type de toiture	Width	Length	Height	M <sup>2</sup>
Fir tree	● - class 3	Four sides	6700 m	5450 m	2267 m	29 m <sup>2</sup>

Option to manufacture the carport in untreated Douglas fir class 3, green or brown – please contact us. Side cladding available as an option with wood panelling (see page 29).  
**Not included:** roofing, zinc work, masonry, battens, ground fixings.







## RETROREFLECTIVE BOLLARD


Retroreflective bollard with striping class 2

Essence	Treatment	Diameter	Length	Packing
Pine	● - class 4	14	1,50 m	24



## STAGGERED BARRIER


Staggered barrier element consisting of 2 drilled roundels log Ø14 cm height 1.50 m with 2 retroreflective strips class 2 and 2 through roundels log Ø 8 cm length 1.50 m  
Class 4 brown and green pine



## SAWING PARKING LOG

Pre-drilled sawn timber parking stop


Essence	Treatment	Section	Longueur
Pin	● - classe 4	100x200 mm	2,00m



## LOG PARKING STOP

Ø12 cm log car parking stop, 2.00 m long with a flat and pre-drilled hole

Essence	Treatment	Diamètre	Longueur
Pin	● - classe 4	12	2,00m





# MOUNTAIN BARRIER

Lane dividers, car parks, open spaces

Essence	Treatment	Thickness	Width	Length
🇫🇷 Douglas fir	● - class 3	441 mm	770 mm	2,40 m
🇫🇷 Douglas fir	● - untreated	441 mm	700 mm	2,40 m







## Trellising

Vineyard stakes **66**

Arboriculture stakes **67**



## WINE GROWING STAKES

Flat stakes for trellising

Essence	Treatment	Diameter	Length	Packing
Pine	● - class 4 SP	4/6 cm	2,00 m	270
Pine	● - class 4 SP	4/6 cm	2,25 m	270
Pine	● - class 4 SP	6/8 cm	2,00 m	150
Pine	● - class 4 SP	6/8 cm	2,25 m	150
Pine	● - class 4 SP	6/8 cm	2,50 m	150
Pine	● - class 4 SP	7/9 cm	2,25 m	120
Pine	● - class 4 SP	7/9 cm	2,50 m	120
Pine	● - class 4 SP	7/9 cm	3,00 m	120
Pine	● - class 4 SP	8/10 cm	2,00 m	60
Pine	● - class 4 SP	8/10 cm	2,25 m	60
Pine	● - class 4 SP	8/10 cm	2,50 m	60
Pine	● - class 4 SP	8/10 cm	3,00 m	60

Delivery carriage paid by full lorry - for part deliveries, please contact us for transport costs - Marked with a milliésimé nail

## TREE CULTIVATION STATES

Flat stakes for trellising

Essence	Treatment	Diameter	Length	Packing
Pine	● - class 4 SP	8/10 cm	4,00 m	60
Pine	● - class 4 SP	8/10 cm	4,50 m	60
Pine	● - class 4 SP	8/10 cm	5,00 m	60
Pine	● - class 4 SP	10/12 cm	4,50 m	40
Pine	● - class 4 SP	10/12 cm	5,00 m	40
Pine	● - class 4 SP	10/12 cm	5,50 m	40

Delivery carriage paid by full lorry - for part deliveries, please contact us for transport costs - Marked with a milliésimé nail



# Moulin

bois énergie



**14 YEARS**  
EXPERIENCE

**2 ACTIVITIES**  
PELLET  
MANUFACTURING  
ELECTRICITY  
GENERATION

**70 000**  
TONNES OF  
PELLETS

**25**  
COLLABORATORS

**3 ha**  
SURFACE



# Introducing Moulin Bois Energie


*A local producer of 100% natural wood pellets*

Within the Group, nothing is wasted: bark is used to produce green electricity and sawdust from sawing is transformed into wood pellets. This virtuous circle allows us to recover 100% of the wood that enters our production site.

Made from resinous sawdust (spruce, fir and Douglas fir) sourced directly from the Moulin sawmill, our pellets are 100% natural and additive-free. The quality of this raw material guarantees one of the most efficient fuels on the market.

Distributed in France under the Moulin Bois Énergie brand, our pellets offer a modern, economical and environmentally friendly heating solution.

## Manufacturing process



## Our recommendations

- Store pellets away from moisture.
- Do not place them near a flame or heat source.
- Use them only with approved combustion systems, in accordance with the manufacturer's instructions and applicable regulations.
- Keep out of reach of children.



**Packaging 65 bags  
of 15 kg/pallet**

## Product sheet



**Big bag 1T**



**In bulk**

## Contact Moulin Bois Energie

Commercial: Remi VACHER  
tel. 07 88 69 86 65 - r.vacher@moulininvest.com  
Contact Moulin Bois Energie: 04 71 75 56 54



# TECHNICAL SPECIFICATIONS





## Storage & packaging

*Our wood is carefully packaged to facilitate handling and storage at your site :*

- Packaging is adapted to the dimensions and sections of the wood to optimise space and reduce handling.
- Strapping now secures the pallet and ensures that the products remain in place during transport.
- Clear labelling allows you to quickly identify the contents of each package.

*Unpacking is not permitted.*

To guarantee the stability and quality of our wood, packages must be handled and stored without being opened first.

*Tips for storing your wood*

- **Cleanliness and protection** : Store your wood in a clean, dry and temperate place, away from sunlight and bad weather. This will prevent sudden changes in temperature or humidity, which can cause warping.
- **Positioning** : Lay your wood flat, without direct contact with the ground. Use wedges, battens or suitable racks to ensure good ventilation and stable support.
- **For open packages** : Arrange the products daily to avoid tangling and warping, and systematically re-strap the packages after each removal.



## Delivery & logistics

*These prices include delivery, subject to the following conditions:*

- **Orders of less than 8 pallets**: a transport surcharge will be applied.
- **France Bois Imprégnés**: free delivery for 8 mixed pallets, throughout mainland France.
- **Full truckload (13 metres of floor space, 25 tonnes)**: free delivery throughout mainland France, with the option of mixing SM and DECOVERT products on the same full truckload and a single delivery point. For multiple delivery points, an additional 'stop' will be charged.
- **Delivery to areas that are difficult to access (e.g. mountains)**: please contact us.
- **Appointments for loading via Shiptify**.
- **Collection by the customer**: the customer can arrange collection of their goods themselves. They will be informed of the date of availability and must arrange transport within 10 calendar days.
- **Minimum order**: £500 net excluding VAT. For any order below this amount, a fixed administration fee of £50 excluding VAT will be applied.
- **Unpacking**: catalogue prices are per full pallet. The retail price will be applied for any unpacking (except for items indicated as unpackable).
- **Specific production**: quantity tolerance of 0 to +10%.
- **Dimensional tolerance**: +5% depending on hygrometric variations





# Class of use

## Wood and its specificities

The use class of a wood is determined by standard NF EN 335-1 to 3 according to the risks of exposure to moisture. Each class determines a degree of resistance and protection, either through natural durability or treatment (autoclave wood, etc.). This 'natural durability' of wood only concerns the heartwood.



### CLASS 1

Always use dry wood indoors.  
Ex : interior joinery



### CLASS 2

Wood subject to occasional humidification in excess of 18%  
Ex: framing/carpentry



### CLASS 3

Wood exposed to the weather  
Ex : external joinery/cladding



### CLASS 4


Wood in regular or permanent contact with the ground and/or fresh water  
Ex: outdoor decking/joists



### CLASS 5


Wood in regular or permanent contact with saline water  
Ex: outdoor decking/joists

## THE PRESERVATION PROCESS




1

The wood is introduced into the autoclave




2

A vacuum extracts the air from the autoclave




3

The preservative fills the autoclave




4

The autoclave is pressurised, forcing the product into the wood



5

The preservative is evacuated and a final vacuum applied to remove any excess solution.



6

Wood is treated

# Special features of wood



## GREYING OF WOOD

This is a natural phenomenon that gradually appears after a few years when wood (treated or untreated) is exposed outdoors. To prevent this, apply a saturator or woodstain. Greying does not affect the durability of the wood concerned.



## CRACKS

They mainly appear on round wood when it is drying or in dry weather. Small cracks may appear in all other products. They close up partially or completely in wet or rainy weather. Cracks do not affect the solidity of the wood concerned.



## DROPS


Run-off can occur after injection with all types of treatment, to a greater or lesser extent depending on the type of wood, its moisture content before injection and the stabilisation time. We recommend that packages are unpacked before installation to ensure proper drying. For sensitive installations, such as pergolas leaning against a wall, we recommend applying a coat of saturator to the wood before installation.



## TREATMENT MARKS

These efflorescences are due to an excess of product on the surface of the wood during drying. It is advisable to strip and ventilate the wood well after injection to allow it to dry. Brushing or light sanding is usually all that's needed to remove them.

**DO NOT SAND OR PLANE.**



## MOULD

They may appear occasionally on treated wood stored in a mild, damp atmosphere. A slightly black or grey film forms, which can be removed by weathering or light brushing. Mould does not affect the durability of the wood concerned.



## RESIN RISE

This natural phenomenon can occur on the surface of softwoods during drying or after a hot spell. This can be easily scraped off with a spatula. Turpentine can also be used.



# Our responsible and sustainable approach


*Together, let's build a sustainable future.*

The MOULINVEST Group has been committed to sustainable forest management and the development of the timber industry in France for many years. Working closely with other players in the industry, we actively promote timber as a material, particularly through Bois de France and CTBB certifications, which guarantee quality and traceability.

At MOULINVEST, sustainable development is at the heart of our activities. For more than 15 years, we have been promoting wood while respecting forest resources, in a circular economy and local approach.

## Green electricity production

We generate electricity using our biomass boiler.



Can feed the city 20,000 inhabitants/year


## Wood pellets

We transform our by-products into pellets, a local energy source for heating.



## Recycled ash

The ash from our biomass boiler is used in agriculture.



## Reused water

We reuse water in our industrial processes to limit our consumption of resources.




The acquisition of modern equipment, including profiling lines, scanners, dryers and finger-jointing machines, illustrates our constant desire to innovate. These investments improve the quality, precision and competitiveness of our products, while enhancing the attractiveness of the timber industry on the British and European markets.

Acting for sustainable development also means committing to responsible forest management. Every tree harvested is replaced, allowing forests to regenerate while preserving biodiversity. This approach guarantees the availability of resources for future generations and supports the vitality of our regions.

*From tree to home, we integrate the entire wood value chain to offer high-performance, low-carbon and sustainable solutions. Acting today to build a sustainable tomorrow is our daily commitment to the wood industry, our customers and future generations.*



## Labels and certifications



- Scierie Moulin
- France Bois Imprégnés
- Moulin Bois Energie



# Prescription

THE MOULINVEST GROUP has chosen to support you in the design of timber structures with its prescription department and sales representatives throughout France.

Throughout your project, we will pass on our expertise in wood products to you, so that we can develop tailor-made solutions to fully guarantee the quality and aesthetics of your project.

We work with architects, project managers, economists and design offices, recommending the ideal, optimised timber solution for their projects. We prescribe the solutions and ensure that they are put into practice by monitoring and supporting them throughout the project.



*If you are a construction professional, architect, specifier, economist, design office or social landlord, feel free to send us your request for documentation and samples by e-mail. [prescription@moulinvest.com](mailto:prescription@moulinvest.com)*



44 X 96 MM




44 X 135 MM




35 X 132 MM


PÔLE CULTUREL ET SPORTIF  
Lieu : Alby-sur-Chèran, 74  
Profils : 3 BOMBES / 2 BOMBES / 1 BOMBE  
© R2K Architectes © Jussi TIAINEN, Sandrine RIVIERE



20 X 80 MM




24 X 45 MM





24 X 145 MM

COMPLEXE SPORTIF  
Lieu : Beaumont-sur-Oise, 95  
Profils : Tasseaux 4 arêtes vives / Lames 4 arêtes vives  
© SATIELER PASCAL GONTIER




40 X 80 MM

CITE SCOLAIRE HONORÉ D'URFÉ  
Lieu : Saint-Etienne, 42  
Profils : Lames 4 chanfreins  
© Architecturestudi



80 X 90 MM

COLLEGE DE LUYNES  
Lieu : Aix-en-Provence, 13  
Profils : Lames 4 arêtes vives  
© THOREL & Associés Architecte



36 X 60 MM

COLLEGE FROELICHER  
Lieu : Sissonne, 02  
Profils : Tasseaux 4 arêtes vives  
© SRZ Architects © Charly BROYER



45 X 45 MM

COLLEGE 600 HERBLAY  
Lieu : Herblay-sur-Seine, 95  
Profils : Carrelets  
© JR Architecture



22 X 45 MM



45 X 95 MM



45 X 49 MM

ECO QUARTIER DU PETIT MORTAUX PONT  
DU CHATEAU  
Lieu : Pont-du-Château, 63  
Profils : Tasseaux 4 arêtes vives  
© Atelier du rouget Simon Teyssou et associés / Linck Architectes © Benoit ALAZARD



## CONDITIONS GÉNÉRALES DE VENTE

### 1. Application et opposabilité des conditions générales de vente

Les présentes conditions générales de vente sont systématiquement portées à la connaissance du client et s'appliquent à toutes nos ventes et/ou prestations de services. Elles s'appliquent à l'ensemble des sociétés du Groupe MOULINVEST, regroupées sous le nom MOULINVEST dans la suite de ce document. En conséquence, le fait de passer commande implique l'adhésion entière et sans réserve du client à ces conditions générales de vente. Notamment, en cas de commande à l'export, le client accepte expressément l'application de la législation française à ladite commande.

Aucune condition particulière ne peut, sauf acceptation formelle et écrite de MOULINVEST, prévaloir sur les présentes conditions générales de vente.

Toute condition contraire posée par le client sera donc, à défaut d'acceptation expresse, inopposable à MOULINVEST, quel que soit le moment où elle aura pu être portée à sa connaissance.

Le fait que MOULINVEST ne se prévale pas, à un moment donné, de l'une quelconque des présentes conditions générales de vente, ne peut être interprété comme valant renonciation à se prévaloir ultérieurement de l'une quelconque desdites conditions.

### 2. Commandes

Les commandes ne sont définitives qu'après confirmation écrite de MOULINVEST.

Un exemplaire des confirmations de commande est envoyé par MOULINVEST au client.

### 3. Livraison

La livraison est effectuée par délivrance à un expéditeur ou à un transporteur dans les locaux ou entrepôts de MOULINVEST.

MOULINVEST est autorisée à procéder à des livraisons de façon globale ou partielle.

Les délais de livraison sont indiqués sur la confirmation de commande, aussi exactement que possible, mais sont fonction des possibilités d'approvisionnement et de transport de MOULINVEST.

La date de livraison confirmée par MOULINVEST s'entend "départ usine".

Les dépassements de délais de livraison ne peuvent donner lieu à dommages et intérêts, à pénalités, à retenues, ni à annulation des commandes en cours.

Les conflits sociaux, incendies, inondations, tous types de rupture ou difficultés d'approvisionnement et de circonstances indépendantes de la volonté de MOULINVEST, sont considérés comme cas de force majeure exonératoire de toute responsabilité.

Les délais indiqués seront dans ces hypothèses suspendus de plein droit. MOULINVEST tiendra l'acheteur au courant, en temps opportun, des cas et événements ci-dessus énumérés.

Dans cette hypothèse, aucune indemnité de quelque nature que ce soit, ne sera due.

En toute hypothèse, la livraison dans les délais ne peut intervenir que si le client est à jour de ses obligations envers MOULINVEST, quelle qu'en soit la cause.

Les produits sont livrables :

- EXW sauf stipulé autrement dans l'offre de prix.

Dans tous les cas, ils voyagent aux risques et périls du destinataire auquel il appartient, en cas d'avarie ou de manquant, de faire toute constatation nécessaire, de confirmer ses réserves par acte extrajudiciaire, ou par lettre recommandée avec avis de réception auprès du transporteur dans les trois jours qui suivent la réception des marchandises.

En accord avec MOULINVEST, le client peut se charger d'organiser lui-même l'enlèvement des marchandises qu'il a achetées, auquel cas il sera prévenu de la date de mise à disposition de sa commande et devra impérativement en organiser le transport dans les dix jours calendaires. A défaut, MOULINVEST organisera la livraison et procèdera à la facturation du transport au tarif indiqué sur la proposition initiale.

### 4. Réception

Sans préjudice des dispositions à prendre vis-à-vis du transporteur, les réclamations sur les vices apparents ou sur la non-conformité du produit livré au produit commandé ou au bordereau de livraison, doivent être formulées par écrit, dans les huit jours de l'arrivée des produits.

Il appartiendra au client de fournir toute justification quant à la réalité des vices ou anomalies constatés. Lorsque le client refuse de prendre possession des marchandises qui lui sont livrées, il doit en aviser MOULINVEST par lettre recommandée avec demande d'avis de réception dans les 48 heures qui suivent cette livraison afin d'exposer ses motifs.

### 5. Retour

Aucun retour ne sera accepté, sans accord préalable de MOULINVEST.

Les frais et les risques de retour sont à la charge de l'acquéreur.

Toute reprise acceptée par MOULINVEST entraînera l'émission d'un avoir au profit de l'acquéreur après vérification qualitative et quantitative des produits retournés.

En cas de vice apparent ou de non-conformité des produits livrés dûment constaté par MOULINVEST, le client pourra obtenir un dédommagement des produits au choix de MOULINVEST à l'exclusion de toutes indemnités ou dommages et intérêts. Aucun retour n'est possible sur les produits commandés en vrac, ce, que le client ait ou non la qualité de consommateur.

### 5.1 : Délai de retour - client professionnel

Aucun retour ne sera accepté après un délai de huit jours suivant la date de livraison.

### 5.2 : Modalités de retour - client non professionnel

Les clients particuliers disposent d'un délai de rétraction de quatorze (14) jours calendaires à compter de la date de réception ou de retrait de l'ensemble de la commande.

Tous les produits peuvent faire l'objet d'une rétractation, excepté ceux exclus par la loi à l'article L221-28 du Code de la consommation, par exemple les produits ayant été descellés ou qui, après avoir été livrés et de par leur nature, sont mélangés de manière indissociable avec d'autres articles, ou les produits livrés en vrac.

### 6. Responsabilité du Vendeur – Garantie

Toute garantie est exclue en cas de mauvaise utilisation, négligence au défaut d'entretien de la part

de l' Acheteur, comme en cas d'usure normale du bien ou de force majeure. MOULINVEST ne peut se voir opposer la quantité du réceptionnaire des bois. Elle n'a pas connaissance de l'utilisation précise du bois quelle traite et ne peut à ce titre être tenue responsable. Compte tenu de ses caractéristiques naturelles, le matériau bois peut être sujet à des déformations (fentes, tuilage...) et à des variations dimensionnelles qui ne sauraient engager la responsabilité du vendeur.

### 6.1 : Garantie des travaux – Bois transformés

La société garantit les prestations contre toute altération du bois selon les fiches de performances des produits de traitement. Ces fiches donnent la liste exhaustive des champignons et insectes contre lesquelles la garantie s'applique, et la durée de cette dernière.

Ces fiches conformes aux normes en vigueur, chaque client déclare les connaître. Les poutres rondes écorcées et/ou rabotées sont assimilées à des grumes. Même un traitement insecticide/fongicide de classe 2 ne peut empêcher l'action de l'insecte SIREX sur des bois ronds déjà mis en oeuvre. Nous ne garantissons pas l'absence systématique de la larve xylophage dans ces bois.

Sont exclusives de toute « garantie » :

- L'utilisation indue d'un produit hors sa classe d'emploi.  
- L'utilisation d'un produit non conforme à l'usage normal.

- Un bois traité ayant subi des attaques biologiques autres que celles inscrites dans les fiches de performances. (à titre d'exemple non exhaustif : les moisissures de surface...).

- Un bois traité ayant subi après traitement, des travaux d'entaillage, de perçage, de tournage, de rabotage même léger, ainsi que tous autres travaux de nature à modifier les performances du traitement.

- En cas d'impossibilité à établir une relation entre le lot de bois traité avec le bois incriminé, la preuve de l'identification du lot incombe au client.

### 6.2 : Garantie spécifique applicable aux poteaux

MOULINVEST garantit le traitement des poteaux contre toutes attaques de champignons lignivores ou par des insectes xylophages durant dix ans. Cette garantie ne concerne pas les bois détériorés à la suite de conditions de stockage inadaptées ou d'altérations mécaniques. Les poteaux que nous fabriquons sont destinés uniquement à l'usage de supports de lignes aériennes électriques ou de télécommunications selon la norme NF EN 14229. Tout usinage postérieur au traitement peut nuire à la qualité du traitement, et dégage notre responsabilité. Cette garantie concerne uniquement le support mis en cause et ne couvre ni les frais de dépose / repose ni le transport. L'acheteur est réputé connaître les normes de pose et les respecter. Toute recoupe entraîne l'annulation de la garantie.

### 6.3 : Garantie spécifique applicable aux produits DECOVERT

Les marchandises doivent être stockées à l'abri des intempéries sur des sols stabilisés et plans et dans des zones ventilées Les bois enterrés ou en contact avec le sol ne doivent jamais être recoupés. Toute recoupe entraîne l'annulation de la garantie. Aucune garantie ne sera acquise en cas de désordre consécutif à une usure normale, utilisation non conforme (classe d'emploi), défaut d'entretien, non-

respect des règles de pose, des DTU et normes en vigueur La présentation de l'attestation de traitement et de la facture d'achat est nécessaire pour la mise en oeuvre de cette garantie biennale. A la survenance d'un sinistre, MOULINVEST devra être systématiquement informée avant toute action sous peine de non prise en compte de la demande. Une altération biologique inférieure à 3 % du lot ne saurait être considérée comme un défaut de traitement.

6.4 : Garantie – Responsabilité du vendeur – Granulés La responsabilité de MOULINVEST ne peut se voir mise en cause par une utilisation de ses produits selon un usage impropre à leur destination. L'acheteur reste entièrement responsable de l'utilisation des produits et devra :

- n'utiliser les produits achetés que pour le ou les usages autorisés tel qu'indiqué sur l'étiquette des produits vendus  
- s'assurer que le produit « granulé de bois » ou « pellets » est bien conforme à celui préconisé par le fabriquant d'appareils de chauffage à granulés de bois.

### 6.5 : Devoir de conseil

Le traitement en autoclave n'est pas curatif des attaques de champignons ou insectes. Il est préventif des champignons lignivores ainsi que des insectes xylophages. La liste exhaustive et précise des attaques biologiques est disponible sur les fiches de performances de traitement connues du client.

### 7. Prix

Les tarifs correspondants à la commande seront déterminés soit par devis, soit par application de la grille tarifaire correspondante à l'acheteur.

### 7.1 : Prix - client professionnel

Les prix sont stipulés hors taxes, et EXW sauf stipulé autrement dans l'offre de prix.

Tout impôt, taxe, droits aux autres prestations à payer en application des règlements français ou ceux d'un pays importateur ou d'un pays transit sont à la charge de l'acquéreur.

### 7.2 : Prix - client non professionnel

Les prix sont stipulés toutes taxes comprises, et EXW sauf stipulé autrement dans l'offre de prix.

### 8. Paiement - modalités

Les factures sont payables au siège social de l'entreprise du Groupe MOULINVEST ayant fourni la prestation, ce, quel que soit le mode de règlement. A défaut de conditions de paiement définies dans la commande, le règlement s'effectue à 30 jours après l'émission de la facture fin de mois civil, le 15, à l'exception des acheteurs non acceptés par l'assurance-crédit pour lesquels le règlement est nécessairement comptant. Aucun escompte n'est accordé pour paiement anticipé.

### 9. Paiement et exigence de garantie de règlement

Toute détérioration du crédit du client pourra justifier l'exigence de garanties ou d'un règlement comptant ou par traite payable à vue avant l'exécution des commandes reçues.

MOULINVEST se réserve en outre le droit, à tout moment, en fonction des risques encourus, de fixer un plafond au découvert de chaque acheteur et

d'exiger certains délais de paiement ou certaines garanties.

### 10. Paiement - retard ou défaut

En cas de retard de paiement, MOULINVEST pourra suspendre toutes les commandes, en cours, sans préjudice de toute autre voie d'action. A défaut de paiement à l'une des échéances, les autres échéances deviendront immédiatement dues même si elles ont donné lieu à des traites.

Toute somme non payée à son échéance donnera lieu à l'application de pénalités de retard calculées sur la base du taux de refinancement de la Banque Centrale Européenne en vigueur à la date de règlement figurant sur la facture majorée de 10%. Ces pénalités de retard seront exigibles sans qu'un rappel ne soit nécessaire, l'envoi d'une lettre recommandée ou mise en demeure préalable n'étant pas requis pour déclencher le droit à MOULINVEST de les percevoir. Pour tout paiement après la date d'échéance, une indemnité forfaitaire pour frais de recouvrement de 40 € sera due. MOULINVEST se réserve néanmoins la possibilité de demander une indemnisation supplémentaire, sur justificatif, si les frais de recouvrement exposés sont supérieurs au mont de cette indemnité forfaitaire.

En aucun cas les paiements ne peuvent être suspendus, ni faire l'objet d'une quelconque compensation sans l'accord écrit et préalable de MOULINVEST. Tout paiement partiel s'imputera d'abord sur la partie non privilégiée, puis sur les sommes dont l'exigibilité est la plus ancienne.

### 11. Transfert des risques

Le transfert des risques sur les produits a lieu dès l'expédition des entrepôts de MOULINVEST. Il en résulte notamment que les marchandises voyagent aux risques et périls de l'acheteur.

### 12. Réserve de propriété - (loi N° 80335 du 12 MAI 1980)

MOULINVEST se réserve la propriété des biens vendus, désignés sur ce document, jusqu'au paiement effectif du prix en principal et accessoires. Le défaut de paiement de l'une quelconque des échéances peut entraîner la revendication des biens. Ces dispositions ne font pas obstacle au transfert au client, dès la livraison, des risques de perte et de détérioration des biens vendus ainsi que des dommages qu'il pourrait occasionner.

Le client s'engage donc à apporter tous ses soins à la garde et à la conservation des biens et à souscrire toutes assurances afin de couvrir tous dommages et risques liés à la détention des biens.

En cas de redressement ou liquidation judiciaire, MOULINVEST aura le droit de revendiquer la propriété des biens vendus conformément aux dispositions légales.

A titre de simple tolérance et pour les seuls besoins de son activité, le client est autorisé à revendre les biens avant complet paiement.

MOULINVEST se réserve la possibilité de mettre fin à cette autorisation par simple lettre recommandée dès le premier incident de paiement. Le client s'oblige, en cas de revente, à lui régler immédiatement le solde du prix restant dû. Au cas où les biens seraient vendus, le client s'engage à informer les sous acquéreurs que lesdits biens sont grevés d'une clause de réserve de propriété.

De plus, le client cède d'ores et déjà à MOULINVEST le prix d'achat des biens.

### 13. Règlement des litiges

En cas de contestations rendant nécessaires des analyses, seules seront opposables à MOULINVEST celles qui seront faites par l'un des laboratoires définis par la société.

Sera seul compétent en cas de litige de toute nature ou de contestation relative à l'exécution ou à l'interprétation de la commande, le Tribunal de commerce du Puy en Velay.

Cette clause s'applique même en cas de référé, de demande incidente ou de pluralité de défendeurs ou quels que soient le mode et les modalités de paiement.

### 14. Eco-contribution et déchets

Les sociétés SCIERIE MOULIN et FRANCE BOIS IMPREGNES, en tant que metteurs sur le marché de Produits et Matériaux de Construction du secteur du Bâtiment, sont soumises à la Responsabilité Elargie du Producteur.

A ce titre, les sociétés SCIERIE MOULIN et FRANCE BOIS IMPREGNES ont adhéré à un éco-organisme (n° IDU : FR299631\_04YAA).

La part du coût unitaire que SCIERIE MOULIN et FRANCE BOIS IMPREGNES supporte pour la gestion des déchets de PMCB, telle que facturé par l'éco-organisme, est intégralement répercutée à l'acheteur professionnel du produit sans possibilité de remise équivalente.

### 15. Clause R6PD (Règlement Général sur la Protection des Données)

Les informations recueillies sur le Client font l'objet d'un traitement informatique réalisé par MOULINVEST et sont indispensables au traitement de sa commande. Ces informations et données personnelles sont également conservées à des fins de sécurité, afin de respecter les obligations légales et réglementaires. Elles seront conservées aussi longtemps que nécessaire pour l'exécution des travaux commandés et des garanties éventuellement applicables à l'issue de ces travaux.

Le responsable du traitement des données est MOULINVEST (ZA de Ville, 43220 Dunières ; contact@moulinvest.com).

L'accès aux données personnelles sera strictement limité aux employés du responsable de traitement, habilités à les traiter en raison de leurs fonctions. Les informations recueillies pourront éventuellement être communiquées à des tiers liés à l'entreprise par contrat pour l'exécution de tâches sous-traitées, sans que l'autorisation du Client ne soit nécessaire.

Conformément à la loi n° 78-17 du 6 janvier 1978 relative à l'informatique, aux fichiers et aux libertés, telle que modifiée par la loi n° 2004-801 du 6 août 2004, et par le Règlement Européen n°2016/.679, le Client dispose d'un droit d'accès, de rectification, d'effacement, et de portabilité des données le concernant, ainsi que du droit de s'opposer au traitement pour motif légitime, droits qu'il peut exercer en s'adressant au responsable de traitement à l'adresse postale ou email mentionnée ci-dessus, en joignant un justificatif de son identité valide.

En cas de réclamation, le client peut contacter la Commission Nationale de l'Informatique et des Libertés (CNIL).




# Library of profiles

FRANCE BOIS IMPRÉGNÉS


## CLADDING

**PILAT**  
SHIPLAP




DESTRUCTURED FINISH  
22x130 mm - 27x180mm

**MEYGAL**  
FALSE OPEN-WORK



DESTRUCTURED FINISH  
26x130 mm - 43x126mm

**MEZENC**  
BEVELLED BOARDS




DESTRUCTURED FINISH  
22x68 mm - 27x68 mm

**CLEATS**  
CLEATS



20x130 mm


**MARGERIDE**  
POUX BOX / FENCE BOARDS



20x130 mm


## DECKING

**DESTRUCTURED**



27x145 mm

**SMOOTH**



27x145 mm

**CURVED**




27x145 mm

**2 COMBS**



27x145 mm

**BIAS**



27x145 mm

## FENCE SLATS

**MEZENC**  
BEVELLED BOARDS



**VIVARAIS**  
BOUVETÉ



**TEMPO**  
BOUVETÉOPENWORK




**TOTEM**  
BOUVETÉ



# Library of profiles

SCIERIE MOULIN

**BD2F**




Cladding tongue and groove 2 sides planed

**BD2FL**




Cladding tongue 2 sides planed

**MB2F**




Shiplap 2 sides planed

**TL1F**



Deck 1 side smooth profile

**BD1F**



Cladding tongue and groove 1 side planed

**BD2FR**




Cladding groove 2 sides planed

**MB1F**




Shiplap 1 side planed (1 fine sawn side)

**TP1F**



Deck ridge profile

**TR1F**



Deck 1 side groove profile

**2C1F**



2 chamfered edges 1 visible side (1 fine sawn side)

**4C4F**




4 chamfers 4 sides planed

**AV4F**



4 sharp edges 4 sides planed

**TR2F**



Deck 2 sides groove profile

**4C3F**



4 chamfers 3 visible sides (1 fine sawn side)

**4R4F**



4 round angles 4 sides planed





**Moulin**  
scierie

ZA de Ville 43220 Dunières  
Tél : 04 71 61 70 00  
Mail : [contact@moulinvest.com](mailto:contact@moulinvest.com)

**France**  
Bois Imprégnés

Le Cerizet 42210 Boisset-Les-Montrond  
Tél : 04 77 54 42 27  
Mail : [contact-fbi@moulinvest.com](mailto:contact-fbi@moulinvest.com)

**Moulin**  
bois énergie

ZA de Ville 43220 Dunières France  
Tél : 04 71 75 56 54  
Mail : [client-mbe@moulinvest.com](mailto:client-mbe@moulinvest.com)

Find this catalogue online at [moulinvest.com](http://moulinvest.com)